# CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.



Product name: FUCHS TIM GREASE 516

Issue date: February-12-2025 Revision date: February-27-2025 Version #: 03 SDS No: 9034

# SECTION 1 Chemical product and company identification

Product Name	FUCHS TIM GREASE 516		
Manufacturer/Supplier Address Contact person Telephone	Nye Lubricants, Inc. A Member of the FUCHS Group 12 Howland Road Fairhaven, MA 02719 United States Not available. +1-508-996-6721		
e-mail	sds@fuchs.com		
Emergency telephone number	Americas +1 760 476 3961		
	Europe+1 760 476 3962Asia Pacific+1 760 476 3960Access code334212		
Recommended use and Limita	tions on use		
Recommended use	Lubricating Grease		
Issue date	February-12-2025		
Revision date	February-27-2025		
Supersedes date	February-18-2025		
SECTION 2 Hazards ide	ntification		
Emergency overview	Causes mild skin irritation. Dangerous for the environment if discharged into watercourses.		
GHS hazard categories			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation Category 3		
Environmental hazards	Hazardous to the aquatic environment, acute Category 1 hazard		
	Hazardous to the aquatic environment, Category 1 long-term hazard		
Label elements			
Pictograms			
Signal word	Warning		
Hazard statement			
H316 H400 H410	Causes mild skin irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.		
Precautionary statement			
Prevention			
P273	Avoid release to the environment.		
Response			
P332 + P313 P391	If skin irritation occurs: Get medical advice/attention. Collect spillage.		
Safety storage	Store away from incompatible materials.		
Disposal			

		_	
Product name: FUCHS TIM GREASE	516	Rev	sion date: February-27-202 SDS No: 903
P501	Dispose of contents/container in accor	dance with local/regional/national/i	nternational regulations.
Physical and chemical hazards	The product is stable and non-reactive unusual fire or explosion hazards note		orage and transport. No
Health hazards	Prolonged inhalation may be harmful. hazard. Direct contact with eyes may c		d to be a low ingestion
Environmental hazards	Very toxic to aquatic life with long lasti	ng effects.	
Supplemental information	None.		
<b>SECTION 3 Composition/i</b>	nformation on ingredients		
Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
氧化锌 ZINC OXIDE		60 - < 70	1314-13-2
云母 MICA		3 - < 5	12001-26-2
Other components below reportabl	e levels	20 - < 30	
SECTION 4 First aid meas	ures		
Inhalation	Move to fresh air. Call a physician if sy	mptoms develop or persist.	
Skin contact	Wash off with soap and water. Get me	dical attention if irritation develops	and persists.
Eye contact	Rinse with water. Get medical attention	n if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if s	symptoms occur.	
Most important symptoms and health effects	Headache. Nausea, vomiting. Coughir	g. Mild skin irritation.	
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
SECTION 5 Fire-fighting n	neasures		
Extinguishing media	Water fog. Foam. Dry chemical powde	r. Carbon dioxide (CO2).	
Extinguishing media to avoid	Do not use water jet as an extinguishe	r, as this will spread the fire.	
Specific hazards	During fire, gases hazardous to health	may be formed.	
Special fire fighting procedures	Use water spray to cool unopened con	tainers.	
Protection of fire-fighters	Self-contained breathing apparatus an	d full protective clothing must be w	orn in case of fire.
General fire hazards	No unusual fire or explosion hazards n	oted.	
Specific methods	Use standard firefighting procedures a	nd consider the hazards of other in	volved materials.
SECTION 6 Accidental rel	ease measures		
Personal precautions, protective	e equipment and emergency procedur		
For non-emergency personnel	Do not touch damaged containers or s clothing.	pilled material unless wearing appr	opriate protective
For amargancy responders	Keen unnecessary personnel away E	sure adequate ventilation. Local a	uthorition chould be

For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Clean-up methods and	Prevent entry into waterways, sewer, basements or confined areas.
materials and containment measures	Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
	Small Spills: Clean surface thoroughly to remove residual contamination.
Prevention of secondary	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Not available.

hazards

SECTION 7 Handling and storage		
Handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.	
Storage	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the above storage classes)	

# **SECTION 8 Exposure controls/personal protection**

#### **Exposure limits**

Occupational Exposure Limits for Hazardous Ag	gents in the Workpla	ice, Chemical Hazardou	s Agents (GBZ 2.1-2	2019)
Components	Туре	Value	Form	

MICA (CAS 12001-26-2)	PC-TWA	2 mg/m3	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PC-STEL PC-TWA	1.5 mg/m3 5 mg/m3 3 mg/m3	Respirable dust.

Biological limit values	No biological exposure limits noted for the ingredient(s).	
Monitoring methods	Follow standard monitoring procedures.	
Engineering measures	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Personal protective equipment		
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.	
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.	
Eye protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.	
Skin and body protection	Wear suitable protective clothing. Use of an impervious apron is recommended.	
	H	



Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# SECTION 9 Physical and chemical properties

# Appearance Physical state

Physical state	Solid.
Form	Solid. Semi-solid
Color	White.
Odor	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not available.
Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	5 years
Specific gravity	2.5

# SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Formaldehyde.

# SECTION 11 Toxicological information

de l'enten in rexideregie		
Acute toxicity	Not available.	
Routes of exposure	Inhalation. Skin contact. Eye contact.	
Symptoms	Headache. Nausea, vomiting. Coughing. Mild skin irritation.	
Skin corrosion/irritation	Causes mild skin irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitizer	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not available.	
Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity following single exposure	Not classified.	
Specific target organ toxicity following repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
SECTION 12 Ecological in	nformation	
Ecotoxicity	Very toxic to aquatic life with long lasting effects.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulation	No data available.	
Mobility in soil	No data available for this product.	
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
SECTION 13 Disposal cor	nsiderations	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	


# Local disposal regulations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

# **SECTION 14** Transport information

## CNDG

UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (ZINC OXIDE)
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE), MARINE
Transport hazard class(es)	POLLUTANT (ZINC OXIDE)
Class	9
	5
Subsidiary hazard Packing group	-
Environmental hazards	
	Yes
Marine pollutant EmS	F-A, S-F
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
CNDG; IATA; IMDG	



Product name: FUCHS TIM GREASE 516

# Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

# SECTION 15 Regulatory information

# Law of the People's Republic of China on Prevention and Control of Occupational Diseases

# Classification of occupational disease hazards

Mica dust (CAS 12001-26-2) Zinc oxide (CAS 1314-13-2)

## Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

## Provision on the Environmental Administration of New Chemical Substances

China Inventory of Existing Chemical Substances

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### SPECIAL CASE

Not applicable.

#### Other regulations

This safety data sheet conforms to the following laws, regulations and standards: Measures for the Safe Use of Chemicals in Workplaces General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009) Regulations on Labor Protection in Workplaces Where Toxic Products Are Used Packing Symbol of Dangerous Goods(GB190-2009) Regulations on the Control over Safety of Dangerous Chemicals Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008) Packing - Pictorial Marking for Handling of Goods (GB/T191-2008)

# China. National Catalogue of Hazardous Wastes

ZINC OXIDE (CAS 1314-13-2)

#### Regulatory information

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable. Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

**Basel Convention** 

Not applicable.

# SECTION 16 Other information

# References

EPA: AQUIRE database GB6944-2012: Classification and Code of Dangerous Goods. GB12268-2012: List of Dangerous Goods. NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents

## Disclaimer

Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.