

1. Product and company identification

Name of the chemical NYOGEL 795LT

Other means of identification
Product Code NYOGEL 795LT

Recommended use of the chemical and restrictions on use
Recommended use Lubricating Grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier /Distributor information
Address 12 Howland Road
 Fairhaven MA 02719
 United States

Telephone General Assistance 508-996-6721

E-mail sds@nyelubricants.com

Contact person Nye Lubricants EH&S

Emergency telephone number 3E Online 800-451-8346

2. Hazards identification

Hazard classification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements

Symbols



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Chemical name	CAS Number	Concentration (%)
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE	112945-52-5	5 - < 10
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH 2,4,4-TRIMETHYLPENTENE	68411-46-1	< 1
Other components below reportable levels		90 - 100

4. First aid measures

First aid measures for different exposure routes

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms and effects Direct contact with eyes may cause temporary irritation.

Personal protection for first-aid responders IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards during fire fighting	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Spill cleanup methods	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Storage	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves.

Other

Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties
--

Appearance**Physical state**

Liquid.

Form

Liquid.

Color

Not available.

Odor

Not available.

Odor threshold

Not available.

Melting point/freezing point

Not available.

pH

Not available.

Boiling point, initial boiling point, and boiling range

Not available.

Flammability (solid, gas)

Not applicable.

Flash point

478.4 °F (248.0 °C) ASTM D-92

Decomposition temperature

Not available.

Auto-ignition temperature

Not available.

Upper/lower flammability or explosive limits**Explosive limit - lower (%)**

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Density0.83 g/cm³0.83 g/cm³**Solubility(ies)****Solubility (water)**

Not available.

Partition coefficient (n-octanol/water)

Not available.

Evaporation rate

Not available.

Other data**Explosive properties**

Not explosive.

Flash point class

Combustible IIIB

Kinematic viscosity

2100 cSt

Kinematic viscosity temp

104 °F (40 °C)

Oxidizing properties

Not oxidizing.

Percent volatile

55.9 % estimated

Shelf life

4 years

VOC

55.9 % estimated

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
NYOGEL 795LT		
Acute		
Dermal		
LD50	Rabbit	466700 mg/kg 2100 g/kg
Oral		
LD50	Guinea pig	246 g/kg
	Rabbit	330 g/kg
	Rat	3450 ml/kg 584 g/kg
Other		
LD50	Rat	32 g/kg
Components	Species	Test Results

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)

Acute

Oral

LD50	Rat	3160 mg/kg
------	-----	------------

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE (CAS 112945-52-5)	3 Not classifiable as to carcinogenicity to humans.
---	---

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not available.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	No data available for this product.
Other hazardous effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Dispose in accordance with all applicable regulations.

14. Transport information

IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

15. Regulatory information

Applicable regulations	Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste Regulations for the Labeling and Hazard Communication of Hazardous Chemicals Toxic Chemical Substances Control Act Toxic Chemical Substances Labeling and Materials Safety Data Sheets Regulations This material safety data sheet was prepared in accordance with the Regulation of Labeling and Hazard Communication of Hazardous Chemicals.
Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste	Not listed.
Regulations Governing Designating and Handling of Priority Management Chemicals	Not listed.
Categories and Management of Handling for Toxic Chemical Substances	Not listed.
International regulations	
Stockholm Convention	Not applicable.
Rotterdam Convention	Not applicable.
Montreal Protocol	Not applicable.
Kyoto protocol	Not applicable.
Basel Convention	Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
Taiwan. Dangerous Materials (Regulations for the Labeling and Hazard Communication of Hazardous Chemicals), as amended
Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended)
Taiwan. OELs (Standards of Permissible Exposure Limits at Workplace), as amended
Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration)
Taiwan. Toxic Materials (Toxic and Concerned Chemical Substances Control Act)
US. IARC Monographs on Occupational Exposures to Chemical Agents

Issued by

Not available.

Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date

July-28-2011

Revision date

March-22-2023