SAFETY DATA SHEET



1. Identification

Product identifier	RHEOSIL 500F
Other means of identification	
Product Code	RHEOSIL 500F
Recommended use	Lubricating Grease
Recommended restrictions	None known.
Manufacturer/Importer/Supplie	r/Distributor information
Company name	Nye Lubricants, Inc.
	A Member of the FUCHS Group
Address	12 Howland Road
	Fairhaven, MA 02719
	USA
Telephone	+1 508 996 6721
E-mail	sds@fuchs.com
Emergency telephone number	+1 866 519 4752
Access code	334212
Website	www.nyelubricants.com
2. Hazard(s) identificatio	n
Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

None.

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LITHIUM STEARATE		4485-12-5	20 - < 30*
Other components below	reportable levels		70 - < 80
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	

Material name: RHEOSIL 500F

Supplemental information

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.

Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
and precautions for firefighters	

Fire fightingUse water spray to cool unopened containers.equipment/instructions

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.	
Conditions for safe storage.	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the	

Conditions for safe storage,
including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the
SDS).
Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the
above storage classes)

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit Components	Values (TLV) Type	Value	Form
LITHIUM STEARATE (CAS 4485-12-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recommestablished, maintain airborne levels to	cal exhaust ventilation, or oth nended exposure limits. If exp	er engineering controls to
Individual protection measures,	such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant g	loves.	
Other	Wear suitable protective clothing.		

Material name: RHEOSIL 500F

Respiratory protection Thermal hazards



General hygiene considerations

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Smooth
Physical state	Solid.
Form	Solid. Semi-solid
Color	White Off-white.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Dropping point	392 °F (200 °C)
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	4 years

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Formaldehyde.

11. Toxicological information

Information on likely routes of exposure Prolonged inhalation may be harmful. Inhalation Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation. Ingestion Expected to be a low ingestion hazard. Symptoms related to the Direct contact with eyes may cause temporary irritation. physical, chemical and toxicological characteristics Information on toxicological effects Not available. Acute toxicity Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye irritation Respiratory or skin sensitization **Respiratory sensitization** Not a respiratory sensitizer. This product is not expected to cause skin sensitization. Skin sensitization Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. This product is not expected to cause reproductive or developmental effects. **Reproductive toxicity** Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure Not an aspiration hazard. Aspiration hazard **Chronic effects** Prolonged inhalation may be harmful. 12. Ecological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. No data available. **Bioaccumulative potential** No data available. Mobility in soil Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations **Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Material name: RHEOSIL 500F

Contaminated packaging

Hazardous waste code

products

Waste from residues / unused

disposal.

disposal company.

Disposal instructions).

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

· · · · · · · · · · · · · · · · · · ·		
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the Communication Standard, 29 CFR 1910.1200.	ne OSHA Hazard
Toxic Substances Control	Act (TSCA)	
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	ase notification	
Not regulated.		
	ed Substances (29 CFR 1910.1001-1053)	
Not listed.		
	eauthorization Act of 1986 (SARA)	
SARA 302 Extremely hazar Not listed.		
SARA 311/312 Hazardous	Νο	
chemical		
SARA 313 (TRI reporting)		
Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
JS state regulations		
California Proposition 65		
is not known to contain a	Water and Toxic Enforcement Act of 1986 (Proposition 65): This material any chemicals currently listed as carcinogens or reproductive toxins. For ww.P65Warnings.ca.gov.	
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Material name: RHEOSIL 500F

Korea

New Zealand

Existing Chemicals List (ECL)

New Zealand Inventory

Yes

Yes

Country(s) or region	Inventory name On inventory	(yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Voo" indicatoo that all compo	a_{a}	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision	
Issue date	January-31-2014
Revision date	August-02-2024
Version #	18
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Handling and storage: Conditions for safe storage, including any incompatibilities Toxicological information: Acute toxicity Other information, including date of preparation or last revision: References Other information, including date of preparation or last revision: List of abbreviations